

TO ALL TO WHOM THESE PRESENTS SHALL COME;

Airginin Tech Intellectual Properties, Inc.

There has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT. VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITIORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, AR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSE, OR USING IT IN ADUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY SECTION ACT. IN THE UNITED STATES SEED OF THIS VARIETY (I) SHALL BE SOLD BY VARIETY NAME ONLY AS A CERTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS SPECIFIED BY THE OWNER OF THE SECTION ACT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

WHEAT, COMMON

'Century II'

In Testimon Thereof, I have hereunto set my hand and caused the seal of the Hant Tariety Protection Office to be affixed at the City of Washington, D.C. this twolfth day of September, in the year two thousand one.

Pal M Zuhuli

Commissioner
Plant Variety Protection Office
Agricultural Marketing Service

Jung of Agriculture

REPRODUCE LUCALLY. Include forth number and	dete on all reproducti	ons		Form Approved - OMB No. 0581-0055
U.S. DEPARTMENT OF AGRICULT AGRICULTURAL MARKETING SER SCIENCE AND TECHNOLOGY - PLANT VARIETY APPLICATION FOR PLANT VARIETY PROT (Instructions and information collection burden statem		Iha Paparwaik	Reduction Act (PRA) of 1995.	with the Privacy Act of 1974 (\$ U.S.C. 552a) and nt veriety profination certificate is to be issued til certificate is lesued (7 U.S.C. 2426).
NAME OF OWNER Virginia Tech intellectual Properties, Inc.			2. TEMPORARY DESIGNATION EXPERIMENTAL NAME VA95-52-80	OR 2. VARIETY NAME CENTURY II
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Co.	ale, and Country)	- 1111	5. TELEPHONE (include area	acido) For OFFICIAL USE ONLY
Virginia Tech Intellectuat Properties, Inc. 1872 Pratt Dr., Ste.1625 Blacksburg, VA 24080			540-951-9378	POPO NUMBER
Blacksburg, VA 24060			6. FAX (Include eras cade)	4 99199126
			540-951-5292	PILING DATE
7. IF THE OWNER NAMED IS NOT A "PERSON", GIVE FORM OF ORGANIZATION (corporation, partnership, essentiation, etc.) Corporation		PORATED, GIVE FINCORPORATION rylnia	9. DATE OF INCORPORATION June 20, 1985	March 9, 2001
10, NAME AND ADDRESS OF OWNER REPRESENTATIVE (S) 1	O SERVE IN THIS APPLICAT	ION. (First person listed w	ill receive all papers)	PILING AND EXAMINATION
Carl A. Griffey Crop and Soil Environmen Virginia Tech Blacksburg, VA 24061-040				2450.00 + 255.00 R DATE 3/9/01 4/2/0 V CERTIFICATION PEE:
•			<u></u>	1 320 DATE 7/26/0/
11. TELEPHONE (Include area code) 12. FAX (Include a 540-231-9789 540-231-343		. E-MAIL Cerifficy@vt.edu	14	CROP KIND (Common Name) Wheat, Common
18. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBM (1844) 8. Exhibit A. Origin and Breading History of the Variety	TTED (Follow instructions on	CERTIFIED		MIS VARIETY BE SOLD AS A CLASS OF Plant Variety Protection Act) NO (If "no," go to item 22)
Schibit B. Statement of Distinctness Exhibit C. Objective Description of Variety		ZO, DOESTHE	OWNER SPECIFY THAT SEED OF T LIMITED AS TO NUMBER OF CLAS	
d. Exhibit D. Additional Description of the Variety (Option d. Exhibit D. Additional Description of the Variety (Option	nal)		ICH CLASSES? FOUNDATIO	
e. Exhibit E. Statement of the Basis of the Owner's Own				
 Voucher Sample (2,500 vielble unbracted seeds or, for verification that tissue culture will be deposited and me public repository) 	tuber propagated värielles, sintelned in an approved		OWNER SPECIFY THAT THE CLASS TO NUMBER OF GENERATIONS?	SES BE YES NO
g. Filing and Examination Fee (52,450), made payable to States" (Mail to the Plant Verlety Protection Office)	Treasurer of the United	IF YES, SPE NUMBER 1, (If additional	2, 9, e/c, FOUNDATION	REGISTERED CERTIFIED
22. HAS THE VARIETY (INCLUDING ANY HARVESTED MATERIAL) FROM THIS VARIETY BEEN SOLD, DISPOSED OF, TRANSFER OTHER COUNTRIES?			iety or any component of the right <i>(PLANT Breeder's Right</i> is	E VARIETY PROTECTED BY INTELLECTUAL OR PATENT)?
YES YOU MUST PROVIDE THE DATE OF FIRST SALE, DISPOSE FOR EACH COUNTRY AND THE CIRCUMSTANCES. (Please use a	TION, TRANSFER, OR USE	IF YES, GIVE REFERENCE	COUNTRY, DATE OF FILING OR IS ENUMBER. <i>(Please use space indic</i>	Suance and assigned Sated on Pourse.)
24. The owners declare that a viable sample of basic seed of the var a tuber propagated variety a tissue culture will be deposited in a public line undersigned owner (s) is (and the country of this section) and of the provisions of Section 42 of the Plant V Owner (s) is(and) informed that false representation herein can jee	e repository and maintained fi aduced or taker propagated pl ariety Protection Act.	or the duration of the serti lant variety, and believe(s)	icals.	
SIGNATURE OF OWNER Muchaelle Mantin		SIGNATURE OF	OWNER	
NAME (Place print or type) Michael J. Martin		NAME (Please pl	rint or type)	•
CAPACITY OR TITLE	DATE	CAPACITY OR TO	M.E	DATE
Executive Vice President. 3T-470 (289) designed by the Plant Variety Protection Office with Wes	1 3/9/01 dPerrect 6.0s. Replaces STD	 -470 (6-98) which is obso	eta, (Sao reverse for instructi	ons and information collection burden statement)
		•		

GENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hybrid variety at least 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; (4) check drawn on a U.S. bank for \$2,450 (\$300 filling fee and \$2,150 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) Partial applications will be held in the PVPO for not more than 90 days, then returned to the applicant as unfiled. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 500, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount of \$300 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

Plant Variety Protection Office Telephone: (301) 504-5518 FAX: (301) 504-5291

Homepage: http://www.ams.usda.gov/science/pvp.htm

ITEM

- 18a Give:
- (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
- (2) the details of subsequent stages of selection and multiplication;
- (3) evidence of uniformity and stability; and
- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 18b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
 - (1) identify these varieties and state all differences objectively;
 - (2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and
 - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 18c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Varlety) form as completely as possible to describe your variety.
- 18d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 18e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- 19. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 21. See Section 83 of the Act for the Contents and Term of Plant Variety Protection.
- 22. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 23. See Section 5.5 of the Act for instructions on claiming the benefit of an earlier filing date.
- 21. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)

22. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)

Certified seed of CENTURY II was first sold to growers in Fall 2000.

23. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. There is no charge for filling a change of address. The fee for filling a change of ownership or assignment or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

To avoid conflict with other variety names in use, the applicant must check the variety names proposed by contacting: Seed Branch, AMS, USDA, Room 213, Building 306, Beltsville Agricultural Research Center—East, Beltsville, MD 20705. Telephone: (301) 504-8089.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this collection of information is (0581-0055). The time required to complete this information collection is estimated to average 1.4 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, and marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact the USDA's TARGET Center at 202-720-2600 (voice and TDD). To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

18A. Exhibit A: Origin and Breeding History

Genealogy and Breeding Method. CENTURY II, formerly designated VA95-52-60, was selected in 1993 as an F₅ headrow derived from the cross 'Saluda'*2/SC824607. The parentage of SC824607 is 'Blueboy II'/T72-60//CI12373/3'Knox 62'/Coker70-14/4/ 'Axminster'/5/'Lontra'/6/'Coker76-35'. The cross was completed in 1988, and the population was advanced using a modified bulk breeding method. The major criteria used in selection of CENTURY II were early head emergence, short plant height, and resistance to leaf rust (*Puccinia triticina*). CENTURY II has been evaluated in the Virginia State Wheat Test since 1996.

Population Advancement and Selection of the Variety. The cross from which CENTURY II was derived was completed in 1988. It was then advanced from the F₂ to F₄ generation using a modified bulk breeding method. During each generation, spikes of desirable shape (not too tapering), size (medium to large), and cleanliness (free of obvious disease) were selected from plants short in stature and relatively early in maturity. The selected heads were threshed in bulk and the seed was planted to advance the population in the next season. In the F₄ generation, spikes were harvested from the population and threshed individually. Seed from each head were planted in 4-foot headrows. CENTURY II was derived in 1993 from a single F₅ headrow selected for short plant height, good straw strength, and resistance to leaf rust. This pure line, designated VA95-52-60, was evaluated in single 45 square foot observation yield-plots in 1994 and in the Virginia Preliminary Wheat Test in 1995. CENTURY II has been evaluated in the Virginia State Wheat Test since 1996.

Multiplication and Purification. The initial Breeder seed of CENTURY II was developed via removal of visual variants from an F₁₀ purification block in 1997-98. While CENTURY II has remained stable and uniform through five generations of self-pollination, the initial Breeder Seed contained up to 0.3% taller plants, 0.2% plants with shorter or longer awns, and 0.06% plants with lax head type. In the fall of 1999, 320 F₁₂ headrows of CENTURY II were planted to develop a purer source of Breeder Seed. These rows were evaluated for uniformity and trueness of type several time during the growing season. Variant rows were removed, and the remaining rows were harvested in bulk to provide a new source of Breeder Seed.

CENTURY II Wheat

18B. Exhibit B: Novelty Statement

CENTURY II is uniquely different from all known wheat cultivars, but is most similar to its parent Saluda. Based on three years (1997-1999) of seedling tests conducted by the USDA-ARS Cereal Disease Laboratory in Saint Paul, MN, CENTURY II is resistant to stem rust (*Puccinia graminis*) race 15B-2 (TPM), while Saluda is susceptible based on data from the 1989-90 and 1990-91 USDA-ARS Uniform Southern Soft Red Winter Wheat Nursery. These data sources also indicate that CENTURY II is resistant to races of leaf rust possessing virulence to gene *Lr*11, while Saluda is susceptible to races possessing this virulence gene. CENTURY II is susceptible to Hessian Fly biotypes GP, B, C, D, E and L based on seedling tests conducted by USDA-ARS (West Lafayette, IN), while Saluda is resistant to biotypes GP and E. Seed of CENTURY II exhibit a brown phenol reaction, while those of Saluda give a fawn color.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK AND SEED DIVISION BELTSVILLE, MARYLAND 20705

EXHIBIT C

OBJECTIVE DESCRIPTION OF VARIETY

		(TRITICUM SPP.)		
	NAME OF APPLICANTIS	· · · · · · · · · · · · · · · · · · ·	FOR	OFFICIAL USE ONLY
	Virginia Tech Intellectual Properties, I	Inc.	PYPO NUMBER	00100126
	1872 Pratt Drive, Suite 1625			OR TEMPORARY
	Blacksburg, VA 24060		Century I	Γ.
	Place the appropriate number that describes the varietal char Place a zero in first box (e.s. 0 8 9 or 0 9) when num	racter of this variety mber is either 99 or le	in the boxes below.	
	I. KIND:			
	1 = COMMON 2 = DURUM 3 = EMMER 4 = SPELT	5 = POLISH 6 =	POULARD 7 = CLU	ie .
	2. TYPE:			
	2 1 = SPRING 2 = WINTER 3 = OTHER (Specify)	1 = SOFT		(fy)
O,	2 1 = SPRING 2 = WINTER 3 = OTHER (Specify)	1 2 = HARD		
	2 1 = WHITE 2 = RED 3 = OTHER (Specify)	······································	• =- •	
	3. SEASON - NUMBER OF DAYS FROM EMERGENCE TO:			
	FIRST FLOWERING		LAST FLOWERING	
	4. MATURITY (50% Flowering):		-	
•	0 1 NO. OF DAYS EARLIER THAN	7 1 = ARTI	HUR 2 = SCOUT	3 = cня 7=Coker 9835
		A= LEMI		•
	0 1 NO. OF DAYS LATER THAN	8	ni J-NUGRINES	6 = LEEDS 8=Madison
	5. PLANT HEIGHT (From soil level to top of head):		<u> </u>	
	9, 1 CM. HIGH	1		
			Company of the Company	
:	0 8 CM. TALLER THAN	7		
		l = ARTH	HUR 2 = SCOUT	3 = CHRIS 7=Coker 9835
	0 5 CM. SHORTER THAN	8 4= LEM	HI 5 = NUGAINES	6 = LEEDS 8=Madison
	PLANT COLOR AT BOOTING (See reverse):	7. ANTHER COL	.OR:	
	3 T = YELLOW GREEN 2 = GREEN 3 = BLUE GREEN	1 1 = YELLO	W 2 = PURPLE	
-	I. STEM:			
	2 Anthocyanin: 1 = ABSENT 2 = PRESENT	2 Vaxy bloom	: 1 = ABSENT - 2	= PRESENT
	Hairiness of last internode of rachis: 1 = ABSENT 2 = PRESENT	1 laternodes:	1 = HOLLOW 2 = 5	ioLio
	0 4 NO. OF NODES (Originating from node above ground)		TERNODE LENGTH B	ETWEEN FLAG LEAF
-	. AURICLES:			
ſ	2] Antonio 1	[a]		
L	2 Anthocyanin: 1 = ABSENT 2 = PRESENT	2 Hairiness:	I = ABSENT 2 =	PRESENT
1	, LEAF:			
	Flag leaf at = ERECT 2 = RECURVED booting stage: 3 = OTHER (Specify):	1 Flag leaf:	l = NOT TWISTED 2	? = TWISTED
	1 Hairs of first leaf sheath: 1 = ABSENT 2 = PRESENT	2 Waxy bloom	of flag leaf sheath: 4:	= ABSENT 2 = PRESENT
	1 0 MM. LEAF WIDTH (First leaf below flag leaf)	2 0 cm. Li	EAF LENGTH (First is	eal below flag leaf):

·		<u> </u>	
11. HEAD: 3 Density: 1 = LAX	2 = DENSE 3=Mid Dense	Shape: 1 = TAP 4 = OTH	ERING 2 = STRAP 3 = CLAVATE ER (Specify)
3 Awnedness: 1 = A	WHLESS 2 = APICALLY AWHLETED	3 = AWNLETED 4 = AW	NED
2 Color at maturity: 5	PERONN 6 BLACK 7 SOTE	4 = RED IER (Specily):	
0 7 CM. LENGTH		1 2 MM. WIOTH	
12. GLUMES AT MATUR 2 Length: 1 = SHORT 3 = LONG	_	3 Width: 1 = NARE 3 = WIDE	OW(CA. 3 mm.) 2 = MEDIUM(CA. 3.5 mm. (CA. 4 mm.)
Shoulder 1 = WANT shape: 4 = SQUA		2 Веяк: 1 = овти	SE 2 = ACUTE 3 = ACUMINATE
13. COLEOPTILE COLO	R:.	14. SEEDLING ANTHO	CYANIN:
1 1 = WHITE 2 = 8	ED 3 = PURPLE	1 = ABSENT	2 = PRESENT
15. JUYENILE PLANT GI	ROWTH HABIT:		
2 1 = PROSTRATE	2 = SEMI-ERECT 3 = ERE	ст	
16. SEED:			
1 Shape: 1 = OVATE	2 = OVAL 3 = ELLIPTICAL	1 Cheek: 1 = ROUN	DED 2 = ANGULAR
2 Brush 1 = SHORT	2 = MEDIUM 3 = LONG	1 Brush: 1 = NOT	COLLARED 2 = COLLARED
Phenol reaction (See instructions):	I = IVORY 2 = FAWN 3 = LT. BROW 4 = BROWN 5 = BLACK		
3 Color: 1 = WHITE	2 = AMBER 3 = RED 4 = PURPLE	5 = OTHER (Specify)	
0 7 MM. LENGTH	O 4 MM. WIDTH	3 8 GM. PER 100	SEEDS
17. SEED CREASE:			
1 Width: 1 = 60% OR L	ESS OF KERNEL 'WINOKA'	141	R LESS OF KERNEL 'SCOUT'
	ESS OF KERNEL 'CHRIS'		R LESS OF KERNEL 'CHRIS'
	AS WIDE AS KERNEL 'LEMHI'	3 = 50% 0	R LESS OF KERNEL LEMHI
O STEW BUST	red, 1 = Susceptible, 2 = Resistant) LEAF RUST (Races) Has genes LRI	STRIPE RUST	O LOOSE SMUT
1 POWDERY MILDEW	0 BUNT 26	OTHER (Specify)	
la ween a v 7			
O SAWFLY	d, 1 = Susceptible, 2 = Resistant) APHID (Bydv.)	O GREEN BUG	1 CEREAL LEAF BEETLE
OTHER (Specify) Bic	otype L HESSIAN FLY	1 6 0	1 a 1 c
	ssian Fly		[
•	<i>)</i>	1 1 1	0 - 0 -
	TY MOST CLOSELY RESEMBLES THAT S		
CHARACTER	NAME OF VARIETY	CHARACTER	HAME OF VARIETY
Plant tillering		Seed size	
Leaf size Leaf color	<u> </u>	Seed shape	
Leaf carriage		Coleoptile elongation	
Cour carriage	<u> </u>	Seedling pigmentation	

INSTRUCTIONS

GENERAL: The following publications may be used as a reference aid for the standardization of terms and procedures for completing this form:

⁽a) L.W. Briggle and L. P. Reitz, 1963, Classification of Triticum Species and Wheat Varieties Grown in the United States, Technical Bulletin 1278, United States Department of Agriculture.

⁽b) W.E. Walts, 1965, A Standardized Phenol Method for Testing Wheat Seeds for Varietal Purity, contribution No. 28 to the handbook of seed testing prepared by the Association of Official Seed Analysts. (See attachment.)

CENTURY II Wheat

18D. Exhibit D: Additional Description of Century II

Since CENTURY II has not been tested in comparison with any of the six cultivars listed in Exhibit C, average data on performance in Virginia, from 1996 to 1998 are presented in Tables 1-3 and 5. CENTURY II is a moderately short, mid-season soft red winter wheat with moderate straw strength, high yield potential and test weight. Head emergence of CENTURY II is 1 day later than that of 'Madison' and 'Pioneer 2580'. Plant height (36 inches) of CENTURY II is similar to that of 'FFR 555W'. Straw strength is similar to that of 'Roane' and better than that of 'Jackson'. Grain yield and test weights of CENTURY II are similar to those of 'Jackson'. Winter-hardiness of CENTURY II is moderately good but less than that of 'Madison'. Milling quality of CENTURY II is superior to that of 'Jackson' and baking quality is superior to that of 'Pioneer 2580' (Tables 6-7)

CENTURY II is moderately resistant to powdery mildew and leaf rust, but is moderately susceptible to Wheat Spindle Streak Virus and Barley Yellow Dwarf Virus (Tables 1-3, 5). CENTURY II possesses resistance to the most common stem rust race TPM. CENTURY II has expressed moderately resistant to moderately susceptible reactions to leaf and glume blotch. In seedling tests, CENTURY II was susceptible to Hessian fly biotypes GP, B, C, D, E, and L.

Table 1. Summary of performance of entries in the Virginia Tech Wheat Test, 1998 harvest.*

Brand/Variety	Yield	Test Weight	Date Headed	Height	Lodging	Powdery Mildew	Leaf Rust	Head Disease★	Spring Freeze Inju	ry
	(Bu/A)	(Lb)	(Mar 31+)	(In)	(0.2-10)	(0-9)□	(0-9)	(0-9)	(%)	•
11101 51 150	(7)	(7)	(4)	(3)	(6)	(1)	(1)	(1)	(1)	
VA94-54-479	66 -	53.3 -	26 -	33 -	4.3 +	3	3 -	6 +	26 +	_
VA95-52-60	72	56.1 +	26 -	38	3.3 +	3	3 -	5	4	
POCAHONTAS-RT	79 +	55.8 +	24 -	37 -	2.3	0 -	6	4 -	2	
ROANE	77 +	57.8 +	28 +	38	2.5	2 -	5	3 -	0	
PIONEER BRAND 2580-B	76 +	54.7	25 -	38	1.1 -	1 -	6	5	1	
FFR 555W-B	73	54.7	29 +	39 ÷	0.8 -	7 +	8 ±	5	1	
MADISON	73	54.7	25 -	40 +	2.3	4 +	6	7 +	Ô	
JACKSON-B	73	56.1 +	28 +	38	4.7 +	4 +	6	4 -	2	
PIONEER BRAND 2684-B	72	56.4 +	24 -	38	2.0	2 -	7 +	· · · · · · · · · · · · · · · · · · ·		
PIONEER BRAND 2643-B	71	55.8 +	26 -	33 -	0.3 -	3	6	5	2 .	
NK-COKER 9835-D	69	53.6 -	28 +	35 -	1.8	4 +	6	5	1	
NK-COKER 9803-D	66 -	55.8 +	25 -	35 -	3.9 +	6 +	5	6 +	3	
PIONEER BRAND 2691-B	64 -	53.2 -	23 -	35 -	1.7 -	2 -	i -	7 +	9	
LSD (0.05)	3	0.6	1	ī	0.8	1	2	1	6	
Test Average	71	54.9	27	38	2.5	3	5	5	5	

^{*} The number in parentheses below column headings indicates the number of locations on which data are based. A plus or minus sign indicates a performance significantly above or below the test average.

[♣] Belgian Lodging Scale = Area X Intensity X 0.2. Area = 1-10, where 1 is wheat is unaffected and

¹⁰ is entire plot affected and Intensity=1-5, where 1 is wheat standing upright and 5 is wheat lying totally flat.

[☐] The 0-9 ratings indicate relative disease intensity where 0=none and 9=total plant infection.

[★] This was most likely bacterial pseudomonas although there may have been septoria nodorum present.

Table 2. Summary of performance of entries in the Virginia Tech Wheat Test, 1996-97.*

Brand/Variety	Yield (Bu//		Test Weight (Lb)	:	Da Head (Mar	dei 31		Heig (In)	ì	Powe Mil	d	ew	Lea Rus	st	5	Štr -9)√	dle eak	Yel Dw		Blo	ime tch⊡
VA94-54-479	(6) 82	+	(6)		(4	•)		(3))		3)		(3)		(1			2)		1)
VA94-54-479 VA95-52-60	78	+	60.5 61.2	+	32 33	-	+	33 37	•	2	2	-	2 1			3 6	+	4	+	2 1	+
PIONEER 2580-B	81	+	59.9		32			36		1		_	2			4	+	3		i	
JACKSON-B	80	+	61.0	+	34	-	+	38	+	I		-	2			3	+	2	_	1	
MADISON	78		59.3	-	31	-		39	+	3	1	+	4	+		0	_	3		1	
COKER 9835-B	77		59.4	-	35	4	+	33	_	2	!		0	_		3	+	3		1	
COKER 9803-B	77		61.6	÷	29	_		36	_	2			0	_		0	-	2	_	1	
PIONEER 2691-B	77		59.9		27	-	,	35	-	0)	-	1			2		3		1	
ROANE	7 7		61.8	+	35	+	+	36	-	0	•	-	1			2		1	-	2	+
FFR 555W-B	76		59.6	-	35	+	۰	37		4		+	3			1	-	2	-	2	+
PIONEER 2643-B	74		60.5	+	31	_		32	-	0		_	2			1	_	1	_	1	
PIONEER 2684-B	73		61.5	+	31	-		36	-	1		_	1			2		2	_	1	
POCOHONTAS	71	-	60.9	+	31	-		36	-	0		-	4	+		5	+	5	+	1	
LSD (0.05)	4		0.3		ì			1		1			2			1		l		1	
Test Average	. 76		60.0		32			37		2			2			2		3		I	

^{*} The number in parentheses below column headings indicates the number of locations on which data are based. A plus or minus sign indicates a performance significantly above or below the the test average, respectively.

The 0-9 ratings indicate relative disease intensity where 0=none and 9=total plant infection.

 Blotch was caused by <u>Stagonospora nodorum</u>.

 Note: There was no lodging at any test location in 1997.

Table 3. Summary of performance of entries in the Virginia Tech Wheat Test, 1995-96.*

Brand/Variety	Yield (Bu/A)	Test Weight (Lb) (6)	Date Headed (Mar 31+) (4)	Height (In) (3)	Lodging** (0.2-10) (6)	Powdery Mildew (0-9)☆ (2)	Leaf Rust (0-9) (1)	Leaf□ Blotch (0-9) (2)	Glume□ Blotch (0-9) (1)
VA94-54-479	79	56.3	36	31 -	3.9	1 -	2	3	5 +
VA95-52-60	87 +	58.1 +	36	33 -	3.4	2 .	0 -	2 -	3
JACKSON-B	87 +	57.1 +	37 +	34	5.7 +	1 -	0 -	3	2 -
ROANE	87 +	59.4 +	37 +	33 -	2.6	1 -	2	3	4 ÷
PIONEER 2580-B	85	57.0	35 -	34	1.6 -	1 -	0 -	3	2 -
PIONEER 2684-B	84	58.8 +	35 -	34	2.0 -	1 -	2	3	2 -
FFR555W-B	84	55.8 -	38 +	33 -	2.3	5 +	7 +	3	6 +
COKER 9835-B	84	55.9 -	37 +	31 -	1.8 -	2	0 -	2 -	3
MADISON	82	56.9	36	36 +	2.5	2	3 +	- 5 +	2 -
COKER 9835	80	55.5 -	37 +	32 -	1.8 -	2	.2	2 -	3
PIONEER 2691-B	80	55.5 -	34 -	32 -	3.6	1 -	0 -	4 +	3
PIONEER 2643-B	80	57.8 +	37 +	29 -	0.2 -	1 -	0 -	2 -	3
COKER 9803	78 -	58.4 +	35 -	32 -	4.3 +	4 +	3 +	4 +	4 ÷
LSD (0.05)	4	0.6	1	1	1.0	1	1	1	I
Test Average	82	56.5	36	34	3.2	2	2	3	3

^{*} The number in parentheses below column headings indicates the number of locations on which data are based. A plus or minus sign indicates a performance significantly above or below the test average, respectively.

^{**} Belgian Lodging Scale = Area x Intensity x 0.2. Area = 1-10, where 1 is wheat unaffected and 10 is entire plot affected and Intensity = 1-5, where 1 is wheat standing upright and 5 is wheat lying totally flat.

[☆] All 0-9 ratings indicate relative disease intensity where 0=none and 9=total plant infection.

^{☐ &}lt;u>Septoria</u> leaf and glume blotch in these cases were caused by <u>Stagonospora nodorum</u>.

Table 5. Summary of performance of entries in the Virginia Tech Wheat Test for the harvest years 1995-1998.

Brand/Variety	Yield (Bu/A) (25)	Test Weight (Lb) (25)	Date Headed (Mar 31+) (16)	Height (In) (14)	Lodging** (0.2-10) (14)	Powdery Mildew (0-9)☆ (9)	Leaf Rust (0-9) (8)	Leaf Blotch (0-9) (3)	Glume□ Blotch (0-9) (3)
VA94-54-479	78	56.5 -	30	32 -	3.8 +	1	2 -	3	4 +
VA95-52-60	79	58.1 +		36 +	3.3 +	2 +	1 -	2 -	3
PIONEER 2580-B	82 +	56.6	30	35 +	1.3 -	1	2 -	4 +	3
ROANE	80	59.2 +	33	35 +	2.4	Ť	2 -	3	3
JACKSON-B	80	57.7	32	37 +	4.9 +	1	3	3	2 -
POCOHONTAS	78	57.6	29	35 +	2.3	0 -	3	2 -	2 -
PIONEER 2684-B	77	58.4 +	29	35 +	1.7	1	3	3	2 -
FFR555W-B	76	56.4 -	33	36	1.3 -	4 +	5 +	3	4 ÷
NK-COKER 9835	76	56.1 -	33	33 -	1.8	2 +	1 -	2 -	3
MADISON	75	56.6	30	37 +	2.2	2 +	4 +	4 ÷	3
PIONEER 2643-B	75	57.4	30	30 -	0.3 -	1	2 -	3	3
PIONEER 2691-B	74	55.8 -	27 -	33 -	2.4	1	1 -	4 +	3
NK-COKER 9803	73	58.3 +	30	34	3.9 +	3 +	2 -	4 +	3
LSD (0.05)	5	0.8	. 3	1	0.9	1	1	ı	1
Test Average	77	57.3	31	34	2.4	1	3	3	3

^{*} The number in parentheses below column headings indicates the number of year-locations on which data are based. A plus or minus sign indicates a performance significantly above or below the test average, respectively.

^{**} Belgian Lodging Scale = Area x Intensity x 0.2. Area = 1-10, where 1 is wheat unaffected and 10 is entire plot affected and Intensity = 1-5, where 1 is wheat standing upright and 5 is wheat lying totally flat.

[☆] All 0-9 ratings indicate relative disease intensity where 0=none and 9=total plant infection.

^{☐ &}lt;u>Septoria</u> leaf and glume blotch in these cases were caused by <u>Stagonospora nodorum</u>.

Table 6. Milling and baking quality of entries in the Virginia Tech Wheat Test based on evaluations of the 1997 crop.♦

	Over	-Locations /	Inalysis		Comp	osite Analysi	e Analysis					
ENTRY	Milling Quality score	Baking Quality score	Flour Yield %	Micro Test Weight lb/bu	Milling Quality score	Baking Quality score	Flour Yield %	Cookie Diameter em				
MADISON=STANDARD	99.4	97.8	72.28	61.5	99.9	100.0	77.0	17.77				
MADISON	99.4	97.8	72.28	61.5	99.9	100.0	77.0	17.77				
JACKSON POCAHONTAG	93.3	96.1	70.44	63.1	80.7	82.7	74.9	17.42				
POCAHONTAS	97.6	89.8	71.74	63.7	99.4	-59.8	76.9	17.01				
ROANE	88.7	87.2	69.08	64.2	70.1	52.7	74.2	16.79				
VA 94-54-479	90.7	81.4	69.66	63.0	75.4	43.3	75.8	16.91				
VA 95-52-60	95.9	91.2	71.23	63.2	98.0	66.7	77.1	17.14				
FFR 555W	100.7	99.3	72.67	62.0	108.6	97.3	78.1	17.71				
COKER 9803	93.7	97.3	70.58	64.0	88.7	86.3	75.7	17.52				
COKER 9835	94.4	100.2	70.77	62.1	94.9	85.0	76.2	17.62				
PIONEER 2580	89.1	89.2	69.20	62.7	76.3	53.5	74.7	16.80				
PIONEER 2684	93.5	94.4	70.50	63.6	90.9	78.2	76.3	17.33				
PIONEER 2643	93.5	96.1	70.50	63.3	86.6	72.4	75.8	17.27				
PIONEER 2691	91.8	102.0	70.00	63.0	82.8	70.5	75.3	17.27				

Table 7. Milling and baking quality of entries in the Virginia Tech Wheat Test based on evaluations of the 1996 crop.♦

	Over	-Locations A	Analysis	Composite Analysis							
ENTRY	Milling Quality score	Baking Quality score	Flour Yield %	Micro Test Weight lb/bu	Milling Quality score	Baking Quality score	Flour Yield %	Cookie Diameter em			
CALDWELL=BENCHMARK	104.0	110.0	74.07	61.0	108.6	110.0	75.1	17.95			
MASSEY=STANDARD	100.0	100.0	72.86	60.7	100.0	100.0	71.4	17.24			
MADISON	100.5	100.3	73.01	60.4	97.6	-90.1	71.0	16.73			
POCOHONTAS	104.2	93.4	74.13	60.9	104.6	87.1	72.7	16.86			
ROANE	91.9	94.3	70.44	62.6	87.8	93.3	67.9	16.89			
VA 94-54-479	92.0	90.4	70.45	59.9	87.4	72.9	68.2	16.68			
VA 95-52-60	100.4	98.7	72.99	61.5	100.0	85,4	70.8	16.81			
FFR 555W-B	103.5	98.7	73.93	59.8	102.8	100.3	72.3	17.23			
COKER 9835-B	98.7	101.4	72.46	60.3	98.9	91.2	70.3	17.16			
COKER 9803	99.3	96.4	72.64	62.1	97.I	103.7	70.4	17.48			
PIONEER 2580-B	93.0	90.0	70.75	60.2	86.2	82.7	68.6	16.89			
PIONEER 2684-B	99.6	98.6	72.76	61.8	95.1 .	105.6	70.3	17.56			
PIONEER 2643-B	97.6	96.4	72.13	61.7	94.7	98.8	69.9	17.29			
JACKSON	96.5	98.7	71.81	62.0	95.6	84.0	69.8	16.62			
PIONEER 2691-B	93.1	105.2	70.78	60.6	96.9	98.5	69.7	17.27			

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE	The following statements are made in 1974 (5 U.S.C. 552a) and the Paperwo	n accordance with the Privacy Act of rk Reduction Act (PRA) of 1995					
EXHIBIT E STATEMENT OF THE BASIS OF OWNERSHIP	Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).						
1. NAME OF APPLICANT(S)	2. TEMPORARY DESIGNATION	3. VARIETY NAME					
Virginia Tech Intellectual Properties Inc.	OR EXPERIMENTAL NUMBER VA95-52-60	Century II					
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country)	5. TELEPHONE (include area code)	6. FAX (include area code)					
1872 Pratt Dr. Suite 1625	540-951-9374	540-951-5292					
Blacksburg, VA 24060	7. PVPO NUMBER	100126					
8. Does the applicant own all rights to the variety? Mark an "X" in appropri	iate block. If no, please explain.	X YES NO					
O. In the good for thirty of a government of U.S. policy of a U.S. board of		- V50					
 Is the applicant (individual or company) a U.S. national or U.S. based or if no, give name of country 	outbank s	YES NO					
10. Is the applicant the original owner?	() If no, please answer one of the f	ollowing:					
a. If original rights to variety were owned by individual(s), is (are) the or	iginal owner(s) a U.S. national(s)?						
TYES TI	If no, give name of country						
b. If original rights to variety were owned by a company(ies), is(are) the	original owner(s) a U.S. based company	y?					
X YES D	If no, give name of country						
11. Additional explanation on ownership (if needed, use reverse for extra s	pace):						
Original owner Virginia Polytechnic Institu ownership to current owner Virginia Tech In							
PLEASE NOTE:	·						
Plant variety protection can be afforded only to owners (not licensees) who meet o	ne of the following criteria:						
 If the rights to the variety are owned by the original breeder, that person must b which affords similar protection to nationals of the U.S. for the same genus and 	e a U.S. national, national of a UPOV mem	per country, or national of a country					
If the rights to the variety are owned by the company which employed the origi member country, or owned by nationals of a country which affords similar prote	nal breeder(s), the company must be U.S. be ection to nationals of the U.S. for the same	used, owned by nationals of a UPOV genus and species.					
3. If the applicant is an owner who is not the original owner, both the original own	ner and the applicant must meet one of the a	bove criteria.					
The original breeder/owner may be the individual or company who directed final b	reeding. See Section 41(a)(2) of the Plant V	Variety Protection Act for definition.					
According to the Paperwork Reduction Act of 1995, no persons are required to respond to a color this information collection is 0581-0055. The line required to compete this information collect searching existing data sources, gathering and maintaining the data needed, and completing and	tion is estimated to average 10 minutes per respon	orirol number. The valid OMB control number for se, including the time for reviewing instructions,					
The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative USDA's TARGET Center at 202-720-2600 (voice and TDO).	of rece, color, national origin, sex, religion, age, clisab tresent for communication of program information (illy, political beliefs, and marital or familial status. braille, large print, audiotape, etc.) should contact					
To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Wash employment opportunity employer.	ington, D.C. 20250, or call 1-800-245-6346 (voice	a) or (202) 720-1127 (TOO). USDA is an equal					
STD-470-E (07-97) (Destroy previous editions). Electronic version designed using WordPerfect InForms by USDA-AMS-IMB.							

200100126

GROUP ASSIGNMENT

DISCLOSURE NO.

TITLE

98.045	Bi-Directional Full-Bridge DC/DC Converter with Unified Soft-	
98.046	Integrated Auction Software	
98.047	CEMIS Continuing Education Management Information System	
98.048	Load Bearing Foundation Screws	
98.049	Designer Glass Pitcher	
98.050	All Fiber-Based Dense Wavelength Division Multiplexing (DWDM)	
98.051	Processes for Preparing Fiber Reinforced Polymer Matrix	
98.052	Detecting the Presence of Metal lons via a Change in the	
98.053	GeoPave Software	
98.054	Single Operator Motorcycle Swingarm Stand	
98.055	WhizQuest	-
98.056	Novel Zero-Current-Transition and Quasi-Zero-Voltage-Transition	
98.057	Spiro-Helical Antenna	
98.058	An Improved Continuous Current Mode (CCM) Single-stage Input	
98.059	Reconfigurable Simulation of Video Performance	
98.060	NutMan, Nutrient Management Software for Virginia	
98.061	Optical Fiber Humidity Sensor formed by the Ionic Self Assembled	
98.062	Technique to Utilize Thermal Analysis Equipment to Measure	
98.063	Magnetic Cobalt Fluids in Silicone Carrier Liquids	
98.064	WhizQuiz version 2.0	_
98.065	UPDATER: A Mobile Tool for Acquisition of Activity Progress Data	
98.066	Production of Human (hFil), Porcine (pFil), and Chimeric Variants	_~
98.067	Production of Porcine Factor VIII (pFVIII) and Variants of in	
98.068	Production of von Willebrand factor (vWF) in Transgenic Animals	

99.001	Isolation and Characterization of a New Isoform of Fas Ligand
99.002	Choices and Challenges Discussion Videotape: Intelligence Testing
99.003	Low Conduction Loss Power Switch On Silicon Carbide and Other
99.004	Electric Field Tunable Polymer Materials For Frequency Adaptive
99.005	New N-Alkyl Semisynthetic Derivative of Natamycin, and Method of
99.006	Construction of a Commercially Viable Volumetric Dilatometer
99.007	AccessVT System
99.008	Resonant Gate Commutated Thyristor (RGCT) and Switching Gate
99.009	Enhanced Stability and Performance of Cells and Cell Components
56.002	What Vaich PCI and What Town
56.003	Wheat Variety "Roane" (VA93-54-429)
56.004	Tobacco Variety VA 359
	Tobacco Variety VA 355
56.005	Wheat Variety VA92-51-12
56.006	Wheat Variety VA94-52-60
56.007	Wheat Variety VA94-52-69
56.008	Peanut Variety VA 98R
56.009	VA93-54-258
56.010	Wheat Variety VA94-54-479
56.011	Wheat Variety VA95-52-60
56.012	CDH-1 (US Plant Patent No. 10610)
56.013	JEF-b1 (US Plant Patent 10411)
56.014	JAM-1 (U.Md. OTL Ref. No. LS 95-022), raspberry plant named Emily
56.015	GEL-20 (U.Md. OTL Ref. No. LS 95-023)
56.016	JCR-f1 (US Plant Patent 10,412)
56.017	KAS-1 (U.Md. OTL Ref. No. LS 95-025)
56.018	Raspberry Plant Named "Josephine"
	\mathcal{M}

Expression of a Heterologous Polypeptide in Mammary Tissue of

98.069

VIRGINIA POLYTECHNIC INSTITUTE AND STATE UNIVERSITY (hereinafter referred to as the "UNIVERSITY"), assigns to VIRGINIA TECH INTELLECTUAL PROPERTIES, INC. (hereinafter referred to as "VTIP") all rights, title and interest in and to all of the above-listed INVENTIONS as held by the UNIVERSITY.

The UNIVERSITY, by its authorized agents, agrees that it will execute all necessary assignments as requested by VTIP, to facilitate the filing of patent applications and/or copyright registrations. It will render any reasonable assistance requested to aid in preparation of such applications and/or registrations.

The UNIVERSITY shall retain the right to make use of the INVENTIONS for Internal research and other non-commercial purposes without cost to the UNIVERSITY.

All royalties, rents, payments, or any cash receipts from the sale, assignment, transfer, licensing or use of the INVENTION shall be the property of VTIP and shall be distributed according to provisions of the current UNIVERSITY Intellectual Properties Policy.

Prior to the execution of this assignment, the UNIVERSITY has not granted the right of license to make, use, or sell said INVENTION to anyone except to VTIP, nor has it otherwise encumbered its rights, title and interest in said INVENTION, and it will not execute any instrument in conflict with this Assignment.

	IN	WITNESS	WHEREOF,	the	UNIVERISTY	has	caused	this
Assignment to be signed this			<u> </u>		day of			
	_4	MANU C			<u>(</u> , 1999.			
	•	,						

VIRGINIA POLYTECHNIC INSTITUTE
AND STATE UNIVERSITY

BY

/ MINNISÆ. RIDENOUR Executive Vice President STATE OF VIRGINIA

COUNTY OF MONTGOMERY, to-wit:

٦	The forego	ing instrume	ent was acknowle	edged before me th	i
	215+	day of	april	, 1999, by	
			idenour		
of Virgi	inia Polyte	chnic Institu	te and State Uni	versity, on behalf o	f
said Ur	niversity.				

Hatterne M. Sanders
Notary Public